

Yealink Conference Phones Easy Conferencing, Clear Communication

Yealink designs its audio conferencing solutions to suit a range of different meeting environments. The CP960 and the CP920 address today's audio conferencing challenges and unify a clear-and-easy conferencing communication experience for both in-room and remote participants. The CP960 targets mid-to-large-sized meetings while the CP920 covers small-to-mid-sized meetings.



Pure and Powerful Sound Quality

Enterprise-grade and performance-oriented, Yealink conference phones deliver best-in-class HD audio quality for everyone in a meeting to keep pace with the team's collaboration and contribute inspired work.



Advanced speakerphone




Pure and powerful voice




Wide-range Voice Pickup, Dead-zone Free

- Featuring 20-foot 360-degree dead-zone-free voice pickup, the coverage area of the CP960 and CP920 adapts to multiple room environments and provides a full sound experience.
- By adding a pair of CPW90 wireless microphones (for CP960 only), participants within a large conference room can move freely and communicate clearly. The CPW90 utilizes Yealink's DECT technology and HD voice technologies to optimize mobility and expand audio coverage area.
- The CP960 supports star connection with up to 3 models of CP960, working together to meet super large meeting broadcast and voice pickup requirements.



Yealink Noise Proof Technology for Smart and Powerful Noise Elimination

- Yealink's Noise Proof Technology frees business voice collaboration from annoying noise and optimizes conference efficiency by minimizing distractions. The Yealink Noise Proof technology includes two interrelated functions:
 - During a conference, Noise Proof reduces constant background noise from sources such as typing, air conditioners, etc.; and
 - When a person is not speaking, Noise Proof automatically mutes the mic(s) until the sound of a human voice is detected.



Yealink Noise Proof Technology

Ergonomic Design, Best-in-Class Experience

- Stylish and professional, Yealink conference phones adopt a Y-shaped metallic sliver body design. With a five-inch touch screen and intuitive interface, the CP960 puts smooth and easy control at your fingertips. Quicker meeting starts and lower training requirements make the CP960 incredibly user-friendly. For users who prefer a traditional key system, the CP920 offers a familiar touchable keypad for less stress and more comfort.




CP960
5" touch-screen



CP920
Intuitive touch-key

Pentagon Meeting Room

- Offering up to five-party conferencing, Yealink conference phones allow meeting organizers to quickly create a meeting and to add conference participants without interrupting the ongoing conversation.
- The 5-inch touch screen on the CP960 creates a virtual meeting room user interface -- the Yealink Pentagon Meeting Room -- that mimics the sense of physical conferencing for fast and easy conference control. It enables speed connection with one-touch inviting all the selected participants. The Yealink Active Speaker displays the current speaker's icon to make conferencing easier than ever.



Create a meeting simply



Join a meeting directly



Recognize the speaker easily




Hybrid UC Meeting Enabled

- The CP960 and CP920 enable the Hybrid UC Meeting for extraordinary convenience. With Bluetooth and USB connectivity, you can easily pair the conference phone with a PC or mobile phone. Join or create a conference by simply merging the calls.



Bluetooth Pairing



SIP



Softphone



CP920 vs CP960 key Spec and features

| Module | Specification | CP960 | CP920 |
|--------------------|--------------------------------|---|---|
| | |  |  |
| Overview | Applications | Mid-Large meetings, up to 20 people | Small-mid meetings, up to 15 people |
| | Operating System | Android | Linux |
| Interface | LCD | 5" 720 x 1280-pixel capacitive touch screen | 3.1" 248 x 120-pixel graphical LCD |
| | LCD Backlight | ✓ | ✓ |
| | Touch Keypad | x | ✓ |
| | USB Port (2.0 compliant) | 2 | 1 |
| | USB 2.0 Micro-B Device Port | 1 | 0 |
| | Ethernet Port | 10/100Mbps | 10/100Mbps |
| | Wired MIC | 2(Optional) | 0 |
| | Wireless MIC | 2 (Optional) | 0 |
| | 3.5 mm Jack | 1 | x |
| | Security Slot | ✓ | ✓ |
| Audio Features | HD Voice | ✓ | ✓ |
| | Wide-band Codecs | G.722, G722.1C, Opus | G.722, G722.1C, Opus |
| | Narrow-band Codecs | G.711(A/μ), G726, G729, G723, iLBC | G.711(A/μ), G726, G729, G723, iLBC |
| | Built-in 3-microphone Array | ✓ | ✓ |
| | Microphone Pickup | 20ft | 20ft |
| | Yealink Noise Proof Technology | ✓ | ✓ |
| | Noise Suppression | ✓ | ✓ |
| Connectivity | Built-in PoE | IEEE 802.3af | IEEE 802.3af |
| | Built-in Bluetooth | Bluetooth 4.0 | Bluetooth 4.0 |
| | Built-in Wi-Fi | 802.11a/b/g/n/ac | 802.11a/b/g/n/ac |
| | Battery | x | x |
| | Talking Timea | x | x |
| | Standby Time | x | x |
| Telephony Features | Recording | ✓ | ✓ |
| | Five-way Conferencing | ✓ | ✓ |
| | Create Meeting Directly | ✓ | x |
| | Yealink Active Speaker | ✓ | x |
| | Hybrid UC Meeting | ✓ | ✓ |
| | PSTN | x | ✓ (Via Yealink CPN10) |
| | Star Connection | ✓ | x |

Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD
E-Mail: sales@yealink.com | Website: www.yealink.com

2017-08-English-V1.0